

References

- ◆ Abbott, I., Burbidge, T., Williams, M. and van Heurck, P. (1992) Arthropod fauna of jarrah (*Eucalyptus marginata*) foliage in Mediterranean forest of Western Australia: Spatial and temporal variation in abundance, biomass, guild structure and species composition. *Australian Journal of Ecology* 17: 263-274.
- ◆ AFIA (2005) *Fodder Analyst's Laboratory Manual: A reference manual of standard methods for the analysis of fodder*. Australian Fodder Industry Association Inc. Victoria.
- ◆ Adams, M.A., Bell, T.L. and Pate, J.S. (2002) Phosphorus sources and availability modify growth and distribution of root clusters and nodules of native Australian legumes. *Plant, Cell and Environment* 25: 837-850.
- ◆ Aide, T.M. (1988) Herbivory as a selective agent on the timing of leaf production in a tropical understory community. *Nature* 336(8): 574 - 575.
- ◆ Aide, T.M. (1993) Patterns of leaf development and herbivory in a tropical understory community. *Ecology*, 74(2): 455-466.
- ◆ Aide, T.M. and Londona, E.C. (1989) The effects of rapid leaf expansion on the growth and survivorship of a lepidopteran herbivore. *OIKOS* 55: 66 - 70.
- ◆ Aide, T.M. & Zimmerman, J.K. (1990) Patterns of insect herbivory, growth, and survivorship in juveniles of a neotropical liana. *Ecology* 71: 1412-1421.
- ◆ van Aalst, K.L. (1988) Herbivore grazing increases polyphenolic defenses in the intertidal brown alga *Fucus distichus*. *Ecology* 69(3): 655-663.
- ◆ Andrew, N.R. and Hughes, L. (2004) Species diversity and structure of phytophagous beetle assemblages along a latitudinal gradient: predicting the potential impacts of climate change. *Ecological Entomology* 29(5): 527-542.
- ◆ Andrew, N.R. and Hughes, L. (2005a) Herbivore damage along a latitudinal gradient: relative impacts of different feeding guilds. *Oikos* 108(1): 176-182.
- ◆ Andrew, N.R. and Hughes, L. (2005b) Arthropod community structure along a latitudinal gradient: implications for future impacts of climate change. *Austral Ecology* 30(3): 281-297.
- ◆ Andrew, N.R. and Hughes, L. (2005c) Diversity and assemblage structure of phytophagous Hemiptera along a latitudinal gradient: predicting the potential impacts of climate change. *Global Ecology and Biogeography* 14(3): 249-262.

- ◆ Archetti, M. and Brown, S.P. (2004) The coevolution theory of autumn colours, *Proceedings: Biological Sciences* 271 (1545): 1219 - 1223
- ◆ Armstrong, D.P. and Westoby, M. (1993) Seedlings from large seeds tolerate defoliation better: a test using phylogenetically independent contrasts. *Ecology* 74(4): 1092-1100.
- ◆ Arnold, T.M. and Schultz, J.C. (2002) Induced sink strength as a prerequisite for induced tannin biosynthesis in developing leaves of *Populus*. *Oecologia* 130: 585-593.
- ◆ Bach, C.E. and Kelly, D. (2004) Effects of forest edges on herbivory in a New Zealand mistletoe, *Alepis flavida*. *New Zealand Journal of Ecology* 28(2): 195-205.
- ◆ Barone, J.A. (1998) Effects of light availability and rainfall on leaf production in a moist tropical forest in central Panama. *Journal of Tropical Ecology* 14: 309-321.
- ◆ Basset, Y. (1991) Influence of leaf traits on the spatial distribution of insect herbivores associated with an overstorey rainforest tree. *Oecologia* 87: 388-393.
- ◆ Basset, Y. (2001) Communities of insect herbivores foraging on saplings versus mature trees of *Pourouma bicolor* (Cecropiaceae) in Panama. *Oecologia* 129: 253-260.
- ◆ Basset, Y. and Arthington, A.H. (1992) The arthropod community of an Australian rainforest tree: Abundance of component taxa, species richness and guild structure. *Australian Journal of Ecology* 17: 89-98.
- ◆ Basset, Y. and Novotny, V. (1999) Species richness of insect herbivore communities on *Ficus* in Papua New Guinea. *Biological Journal of the Linnean Society* 67: 477-499.
- ◆ Bazzaz, F.A., Chiariello, N.R., Coley, P.D., Pitelka, L.F. (1987) Allocating Resources to Reproduction and Defense. *BioScience*, 37(1): 58-67.
- ◆ Behmer, S.T., Simpson, S.J. And Raubenheimer, D. (2002) Herbivore foraging in chemically heterogeneous environments: nutrients and secondary metabolites. *Ecology* 83(9): 2489 - 2501.
- ◆ Bembrick, C., Herbert, C., Scheibner, E. and Stuntz, J. (1980) Structural subdivision of the Sydney Basin in Herbert C and Helby R. *A guide to the*

Sydney Basin. Geological Survey of New South Wales. Bulletin 26. Department of Mineral Resources: 3 - 10.

- ◆ Berenbaum, M.R. (1995) The chemistry of defense: theory and practice. *Proc. Natl. Acad. Sci. USA* 92: 2 8.
- ◆ Berenbaum, M.R. and Zangerl, A.R. (1992) Qualification of chemical coevolution in R.S. Fritz, and E.L. Simms (eds) *Plant resistance to herbivores and pathogens: ecology, evolution and genetics* University of Chicago Press, Chicago. pp.69-90.
- ◆ Bernays, E.A. and Chapman, R.F. (1994) *Host Plant Selection by phytophagous Insects*. Chapman and Hall. New York.
- ◆ Bernays, E.A. and Graham, M. (1988) On the evolution of host specificity in phytophagous arthropods. *Ecology* 69: 886-892.
- ◆ Blombery, A.M. (1977) *What Wildflower is That?* Summit Books. Australia.
- ◆ ter Braak, C.J.F. (1987) Ordination. In Jogman, R.G.H., ter Braak, C.J.F. and van Tongeren (eds) *Data analysis in community and landscape ecology*. Cambridge University Press, Cambridge, England. Pp 91-173.
- ◆ Blossey, B. and Notzold, R. (1995) Evolution of Increased Competitive Ability in Invasive Nonindigenous Plants: A Hypothesis. *Journal of Ecology*, 83(5): 887-889.
- ◆ Bolser, R.C. and Hay, M.E. (1996) Are tropical plants better defended? Palatability and Defenses of temperate vs. tropical seaweeds. *Ecology*, 77(8): 2269-2286.
- ◆ Bowers, M.D. and Stamp, N.E. (1993) Effects of plant age, genotype, and herbivory on *Plantago* performance and chemistry. *Ecology* 74: 1778-1791.
- ◆ Bradshaw, A.D., Chadwick, M.J., Jowett, D., Lodge, R.W., Snaydon, R.W. (1964) Experimental investigations into the mineral nutrition of several grass species Part III. Phosphate level. *Journal of Ecology* 48: 631 - 637.
- ◆ Bradshaw, A.D., Chadwick, M.J., Jowett, D., and Snaydon, R.W. (1964) Experimental investigations into the mineral nutrition of several grass species Part IV. Nitrogen level. *Journal of Ecology* 48: 665-676.
- ◆ Bragg, J.G. and Westoby, M. (2002) Leaf size and foraging for light in a sclerophyll woodland. *Functional Ecology* 16: 633-639.

- ◆ Branagan, D., Herbert, C. and Langford-Smith, T. (1979) *An outline of the Geology and Geomorphology of the Sydney Basin*. Science Press.
- ◆ Brattsten, L.B. (1979) Biochemical Defense Mechanisms in herbivores against plant allelochemicals in Rosenthal, G.A. and Janzen, D.H. (eds) *Herbivores: their Interaction with Secondary Plant Metabolites*. Academic Press Inc: 200-270.
- ◆ Bridle, K.L. and Kirkpatrick, J.B. (2001) Impacts of grazing by vertebrate herbivores on the flower stem production on tall alpine herbs, Eastern Central Plateau, Tasmania. *Australian Journal of Botany* 49(4): 459-470.
- ◆ Brinker, AM and Seigler, D.S. (1989) Methods for the detection and quantitative determination of cyanide in plant materials. *Phytochemical Bulletin* 21 (2): 24-31.
- ◆ Brower, L.P. (1969) Ecological chemistry. *Scientific American* 220: 22-29.
- ◆ Bryant, J.P. and Kuropat, P.J. (1980) Selection of winter forage by subarctic browsing vertebrates: the role of plant chemistry. *Annual Review of Ecology and Systematics* 11: 261-285.
- ◆ Bryant, J.P., Chapin, F.S. and Klein, D.R. (1983) Carbon/ nutrient balance of boreal plants in relation to vertebrate herbivory. *Oikos* 40: 357-368.
- ◆ Bryant, J.P., Clausen, T.P., Reichardt, P.B., McCarthy, M.C. and Werner, R.A. (1987) Effects of nitrogen fertilisation upon the secondary chemistry and nutritional value of quaking aspen (*Populus tremuloides* Michx.) leaves for the large aspen tortrix (*Choristoneura conflictata* (Walker)). *Oecologia* 73: 513-517.
- ◆ Brys, R, Jacquemyn, H. and De blust, G. (2005) Fire increases aboveground biomass, seed production and recruitment success of *Molinia caerulea* in dry heathland. *Acta Oecologica*: 1-7 (in press).
- ◆ Burt, A. (1989) Comparative methods using phylogenetically independent contrasts. *Oxford surveys in evolutionary biology* 6: 33-53.
- ◆ Cahill J.F., Castelli J.P. and Casper B.B. (2001) The Herbivory Uncertainty Principle: Visiting Plants Can Alter Herbivory. *Ecology* 82(2): 307-312.
- ◆ Caldwell, M.M., Richards, J.H, Johnson, D.A., Nowak, R.S., and Dzurec, R.S. (1981) Coping with herbivory: photosynthetic capacity and resource allocation in two semiarid *Agropyron* bunchgrasses. *Oecologia* (Berl.) 50: 14-24.

- ◆ Campbell, B.M. (1985) Plant spinescence and herbivory in a nutrient poor ecosystem. *Oikos* 47: 168-172.
- ◆ Cargill, S.M. and Jefferies, R.L. (1984) The effects of grazing by lesser snow geese on the vegetation of a sub-arctic salt marsh. *Journal of Applied Ecology* 21: 669-686.
- ◆ Carver, M., Gross, G. F. and Woodward, T.E. (1991) Hemiptera in *The Insects of Australia: a textbook for students and research workers* Vol 1 (eds CSIRO) pp. 429-509.
- ◆ Cates, R.G. and Orians, G.H. (1975) Successional status and the palatability of plants to generalized herbivores. *Ecology* 56 (2): 410-418.
- ◆ Cebrian, J. and Duarte, C.M. (1994) The dependence of herbivory on growth rate in natural plant communities. *Functional Ecology* 8: 518-525.
- ◆ Chabot, B.F. and Hicks, D.J. (1982) The ecology of leaf life spans. *Annual Review of Ecology and Systematics* 13: 229-259.
- ◆ Chapin III, F.S. (1980) The mineral nutrition of wild plants. *Annual Review of Ecology and Systematics* 11: 233-260.
- ◆ Chapman, G.A. and Murphy, C.L. (1989) *Soil Landscapes of the Sydney 1:100 000 sheet*. Soil Conservation of N.S.W., Sydney
- ◆ Chapman, R.F. (1998) *The Insects: Structure and Function*. Fourth edition. Cambridge University Press.
- ◆ Chew, R.M. (1974) Consumers as regulators of ecosystems: An alternative to energetics. *The Ohio Journal of Science* 74(6): 359-370.
- ◆ Choong, M.F. (1996) What makes a leaf tough and how this affects the pattern of *Castanopsis fissa* leaf consumption by caterpillars. *Functional Ecology* 10: 668-674.
- ◆ Choong, M.F., Lucas, P.W., Ong, J.S.Y., Pereira, B., Tan, H.T.W and Turner, I.M. (1992) Leaf fracture toughness and sclerophylly: their correlations and ecological implications. *New Phytologist* 121(4): 597-610.
- ◆ Christie, E.K. and Moorby, J. (1975) Physiological responses of semi-arid grasses. I. The influence of phosphorus supply on growth and phosphorus adsorption. *Australian Journal of Agriculture and Research* 26: 423-436.
- ◆ Clark, D.B. and Clark, D.A. (1985) Seedling dynamics of a tropical tree: Impacts of herbivory and meristem damage. *Ecology* 66: 1884 – 1892.

- ◆ Clarkson, D.T. (1966) Phosphorus supply and growth rate in species of *Agrostis* L. *Journal of Ecology* 55: 111-118.
- ◆ Close, D.C. and McArthur, C. (2002) Rethinking the role of many plant phenolics – protection from photodamage not herbivores? *Oikos* 99(1): 166-172.
- ◆ Coley, P.D. (1980) Effects of leaf age and plant life history patterns on herbivory. *Nature* 284: 545-546.
- ◆ Coley, P.D. (1983a) Herbivory and defensive characteristics of tree species in a lowland tropical forest. *Ecological Monographs*, 53(2): 209-227.
- ◆ Coley, P.D. (1983b) Intraspecific variation in herbivory on two tropical tree species. *Ecology* 64(3): 426-433.
- ◆ Coley, P.D. (1986) Costs and benefits of defense by tannins in a neotropical tree. *Oecologia* 70: 238-241.
- ◆ Coley, P.D., Bryant, J.P. and Chapin III, F.S. (1985) Resource Availability and Plant Antiherbivore Defense. *Science* 230(4728): 895-899.
- ◆ Coley, P.D. and Aide, M.T. (1991) Comparison of herbivory and plant defenses in temperate and tropical broad-leaved forests in Price P.W., Lewinsohn W.F. and Woodruff B.W. (eds) *Plant-Animal Interactions: Evolutionary Ecology in Tropical and Temperate Regions*. John Wiley & Sons. Inc. pp. 25-49.
- ◆ Coley, P.D. and Barone, J.A. (1996) Herbivory and plant defenses in tropical forests. *Annual Review of Ecology and Systematics* 27:305-335.
- ◆ Conroy, R.J. (1996) To Burn or not to Burn? A Description of the History, Nature and Management of Bushfires within Ku-ring-gai Chase National Park. *Proceedings of the Linnaean Society of New South Wales*, 116: 79-95.
- ◆ Cooper, S.M. and Ginnett, T.F. (1998) Spines protect plants against browsing by small climbing mammals. *Oecologia* 113: 219-221.
- ◆ Cooper, S.M. and N. Owen-Smith (1986) Effects of plant spinescence on large mammalian herbivores. *Oecologia* 68: 446-455.
- ◆ Cornelissen, J.H., Werger, M.J.A., Castro-Diez, P., van Rheenen, J.W.A. and Rowland, A.P. (1997) Foliar nutrients in relation to growth, allocation and leaf traits in seedlings of a wide range of woody plant species and types. *Oecologia* 111(4): 460-469.

- ◆ Cornell, H.V. and Hawkins, B.A. (2003) Herbivore Responses to Plant Secondary Compounds: A Test of Phytochemical Coevolutionary Theory. *American Naturalist* 161(4): 507-522.
- ◆ Cornell, H.V. and Kahn, D.M. (1989) Guild structure in the British arboreal arthropods: Is it stable and predictable? *Journal of Animal Ecology* 58: 1003-1020.
- ◆ Cowper, M. (2005) Firebug merits prison. *The Manly Daily*. (April 15th): 1:2.
- ◆ Cox, C.S. and McEvoy, P.B. (1983) Effect of summer moisture stress on the capacity of Tansy Ragwort (*Senecio jacobaea*) to compensate for defoliation by cinnabar moth (*Tyria jacobaeae*). *Journal of Applied Ecology* 20: 225 – 234.
- ◆ Crawley, M.J. (1983) *Herbivory*. University of California Press, Berkeley, CA.
- ◆ Crawley, M.J. (1987) Benevolent herbivores?. *Trends in Ecology and Evolution* 2: 167-168.
- ◆ Crawley, M.J. (1989) Insect herbivores and plant population dynamics. *Annual Review of Entomology* 34: 531-564.
- ◆ Cronin, G. and Hay, M.E. (1996) Induction of seaweed chemical defenses by amphipod grazing. *Ecology* 77(8): 2287-2301.
- ◆ CSIRO (1990), *Plants for Medicines: A chemical and Pharmacological survey of Plants in the Australian Region*, CSIRO Australia.
- ◆ van Dam, N.M. and Hare, J.D. (1998) Differences in distribution and performance of two sap-sucking herbivores on glandular and non-glandular *Datura wrightii*. *Ecological Entomology* 23: 22-32.
- ◆ Dawkins, R and Krebs, J.R. (1979) Arms Races between and within species. *Proceedings of the Royal Society of London. Series B* 205 (1161): 489-511.
- ◆ Denlinger, D.L. (1980) Seasonal and Annual Variation of Insect Abundance in the Nairobi National Park, Kenya. *Biotropica* 12(2): 100-106.
- ◆ Dirzo, R., and Harper, J.L. (1982) Experimental studies on slug-plant interactions: 4. The performance of cyanogenic and acyanogenic morphs of *Trifolium repens* in the field. *Journal of Ecology* 70: 119-138.
- ◆ Dudt, J.F. and Shure, D.J. (1994) The Influence of Light and Nutrients on Foliar Phenolics and Insect Herbivory. *Ecology* 75(1): 86-98.
- ◆ Duffy, J.E. and Hay, M.E. (1994) Herbivore resistance to seaweed chemical defense: the roles of mobility and predation risk. *Ecology* 75 (5): 1304-1319.

- ◆ Dyer, M.I. (1975) The effects of red-winged blackbirds (*Agelaius phoeniceus*) on biomass production of corn grains (*Zea mays*). *Journal of Applied Ecology* 12: 719-726.
- ◆ Edwards, C., Read, J. and Sanson, G. (2000) Characterising sclerophylly: some mechanical properties of leaves from heath and forest. *Oecologia* 123: 158-167.
- ◆ Edwards, P.B (1982) Do waxes on juvenile *Eucalyptus* leaves provide protection from grazing insects? *Australian Journal of Ecology* 7: 347-352.
- ◆ Edwards, J. (1985) Effects of herbivory by moose on flower and fruit production of *Aralia nudicaulis*. *Journal of Ecology* 73: 861 – 868.
- ◆ Ehrlich, P.R. and Raven, P.H. (1964) Butterflies and Plants: A Study in Coevolution. *Evolution* 18(4): 586-608.
- ◆ Ernest, K (1989) Insect Herbivory on a Tropical Understory Tree: Effects of Leaf Age and Habitat. *Biotropica* 21(3): 194-199.
- ◆ Erwin, T. (1982) Tropical forests: Their richness in Coleoptera and other arthropod species. *Coleopt. Bull.* 36: 74-75.
- ◆ Erwin, T. L. and Scott, J.C. (1980) Seasonal and size patterns, trophic structure, and richness of Coleoptera in the tropical arboreal ecosystems, the fauna of the tree *Luehea seemannii* Triana and Planch in the Canal Zone of Panama. *Coleop. Bull.* 34: 305-322.
- ◆ Everitt, B.S. (1994) *A Handbook of Statistical Analyses using S-Plus*. Chapman & Hall. London.
- ◆ Fairley, A. and Moore, P. (1989) *Native Plants of the Sydney District: An Identification Guide*. Kangaroo Press, NSW.
- ◆ Falco M.C., Marbach P.A.S., Pompermayer P., Lopez, F.C.C., and Silva-Filho C. (2001) Mechanisms of sugarcane response to herbivory. *Genetics and Molecular Biology*. 24(1-4): 113 -122.
- ◆ Feeny, P. (1970) Seasonal changes in oak leaf tannins and nutrients as a cause of spring feeding by winter moth caterpillars. *Ecology* 51(4): 565-581.
- ◆ Feeny, P. (1976) Plant apparency and chemical defense in J. Wallace and R.L. Mansell (eds.) *Biochemical interaction between plants and insects. Recent Advances in Phytochemistry* Vol.10. Plenum Press, New York, pp. 1-40.

- ◆ Felsenstein, J. (1985) Phylogenies and the comparative method. *American Naturalist* 125: 1-15.
- ◆ Ferreira, C., Marana, S.R., Terra, W.R. (1992) Consumption of sugars, hemicellulose, starch, pectin and cellulose by the grasshopper *Aracris flavolineata*. *Entomologia experimentalis et Applicata* 65: 113-117.
- ◆ Flora of Australia (1982) Volume 8. Lecythidales to Batales. Australian Government Publishing Service, Canberra, Australia.
- ◆ Flora of Australia (1984) Volume 4. Phytolaccaceae to Chenopodiaceae. Australian Government Publishing Service, Canberra, Australia.
- ◆ Flora of Australia (1988) Volume 19. Eucalypts, Angophora. Australian Government Publishing Service, Canberra, Australia.
- ◆ Folgarait, P.J. and Davidson, D.W. (1995) Myrmecophytic *Cecropia*: antiherbivore defenses under different nutrient treatments. *Oecologia* 104: 189-206.
- ◆ Foster, W.A. (1984) The distribution of the sea lavender aphid *Staticobium statics* on a marine salt marsh and its effect on host plant fitness. *Oikos* 42: 97-104.
- ◆ Fox, L.R. and Morrow, P.A. (1983) Estimates of damage by herbivorous insects on *Eucalyptus* trees. *Australian Journal of Ecology* 8:139-147.
- ◆ Fox, L.R. and Morrow, P.A. (1986) On comparing herbivore damage in Australian and north temperate systems. *Australian Journal of Ecology* 11: 387-393.
- ◆ Fraenkel, G.S. (1959) The raison d'être of secondary plant substances. *Science*, New series 129(3361): 1466-1470.
- ◆ Fraser, L.H. and Grime, P.J. (1999) Interacting effects of herbivory and fertility on a synthesized plant community. *Journal of Ecology* 87: 514 – 525.
- ◆ Gabriel, K.R. (1971) The biplot graphical display of matrices with applications to principal component analysis. *Biometrika* 58: 453-467.
- ◆ Gabriel, K.R. and Odoroff, C.L. (1990) Biplots in biomedical research. *Statistics in Medicine* 9: 469-485.
- ◆ Gadd, M.E., Truman, P.Y. and Todd, M.P (2001) Effects of simulated shoot and leaf herbivory on vegetative growth and plant defense in *Acacia drepanolobium*. *Oikos* (Copenhagon) 92: 515-521.

- ◆ Gershenzon, J. (1994) The cost of plant chemical defense against herbivory: a biochemical perspective in Bernays, F.A. (ed.) *Insect-plant interactions*. CRC Press. Pp. 105-173.
- ◆ Gowda, J.H. (1996) Spines of *Acacia tortilis*: what do they defend and how? *Oikos* 77: 279-284.
- ◆ Gras, E.K., Read, J., Mach, C.T., Sanson, G.D. and Clissold, F.J. (2005) Herbivore damage, resource richness and putative defences in juvenile versus adult *Eucalyptus* leaves. *Australian Journal of Botany* 53: 33-44.
- ◆ Greenberg, A.E., Trussell, R.R. and Clesceri, L.S. (1985) *Standard Methods: For the examination of Water and Wastewater* 16th ed. American Public Health Association. Washington DC.
- ◆ Grellmann, D. (2002) Plant responses to fertilization and exclusion of grazers on an arctic tundra heath. *Oikos* 98(2): 190-204.
- ◆ Grime, J.P., MacPherson-Stewart, S.F. and Dearman, R.S. (1968) An investigation of leaf palatability using the snail *Cepaea nemoralis* L. *The Journal of Ecology* 56(2): 405-420.
- ◆ Grime, J.P. and Hunt, R. (1975) Relative growth-rate: its range and adaptive significance in a local flora. *Journal of Ecology* 63: 393-422.
- ◆ Grime, J.P., Cornelissen, H.C., Thompson, K., and Hodgson, J.G. (1996) Evidence of a causal connection between anti-herbivore defence and the decomposition rate of leaves. *Oikos* 77: 489-494.
- ◆ Grubb, P.J. (1992) A positive distrust in simplicity – lessons from plant defences and from competition among plants and among animals. *Journal of Ecology* 80: 585-610.
- ◆ Gullan, R.L., Roberts, J.J., Finny, R.E. and Patterson, F.L. (1973) Leaf pubescence of field grown wheat: a deterrent to oviposition by the cereal leaf beetle. *Journal of Environmental Quality* 2: 333-334.
- ◆ Gullan, P.J. and Cranston, P.S (1998) *The Insects: An outline of Entomology*. Chapman and Hall.
- ◆ Hatcher, P.E. and Paul, N.D (1994) The effect of elevated UV-B radiation on herbivory of pea by *Autographa gamma*. *Entomologia experimentalis et applicata* 71(3): 227-233.

- ◆ Hadi, A.S. (1994) A modification of a method detection of outliers in multivariate samples. *Journal of the Royal Statistical Society (B)* 2: 393-396.
- ◆ Hamilton, C.A. (1981) Rusa Deer in the Royal National park: diet, dietary overlap with *Wallabia bicolor*, influence on the vegetation, distribution and movements. MSc thesis, University of Sydney, Sydney.
- ◆ Hamilton III, E.W., Giovannini, M.S., Moses, S.A., Coleman, J.S. and McNaughton, S.J. (1998) Biomass and mineral element responses of a Serengeti short-grass species to nitrogen supply and defoliation: compensation requires a critical [N]. *Oecologia* 116:407-418.
- ◆ Hamilton, J.G., Zangeri, A.R., DeLucia, E.H. and Berenbaum, M.R. (2001) The carbon-nutrient balance hypothesis: its rise and fall. *Ecology Letters* 4:86-95.
- ◆ Hamilton, L.C. (1992) *Regression with Graphics: A Second Course in Applied Statistics*. Brooks/Cole Publishing Company. Pacific Grove, California.
- ◆ Harden, G.J. (ed.) (1993) *Flora of New South Wales*. Royal Botanic Gardens. Sydney. UNSW Press. Vol 4.
- ◆ Harden, G.J. (ed.) (2002) *Flora of New South Wales*. Royal Botanic Gardens. Sydney. UNSW Press. Vol 2.
- ◆ Harper, J.L. (1969) The role of predation in vegetational diversity. *Brookhaven Symposium in Biology* 22: 48-62.
- ◆ Hartley, S.E. and Jones, C.G. (1997) Plant Chemistry and Herbivory, or Why the World is Green. In M.J. Crawley *Plant ecology* 2nd edition. Blackwell Science pp. 284-324.
- ◆ Harvey, M.S. and Yen, A.L. (1997) *Oxford Worms to Wasps: An illustrated Guide to Australia's Terrestrial Invertebrates*. Oxford University Press Australia.
- ◆ Hay, M.E., Paul, V.J., Lewis S.M., Gustafson, K., Tucker, J. and Trindell, R.N. (1988) Can tropical seaweeds reduce herbivory by growing at night? Diel patterns of growth, nitrogen content, herbivory, and chemical versus morphological defenses. *Oecologia (Berlin)* 75: 233-245.
- ◆ Hay, M.E. (1991) Fish-seaweed interactions on coral reefs: effects of herbivorous fishes and adaptations of their prey in P. F. Sale (ed) *The ecology of fishes on coral reefs*. Academic Press, New York, USA.
- ◆ Hay, M.E., William, F. and Gustafson, K. (1987) Chemical defense against diverse coral-reef herbivores. *Ecology* 68(6): 1581-1591.

- ◆ Hay, E.H., Kappel, Q.E. and Fenical, W. (1994) Synergisms in plant defenses against herbivores: interactions of chemistry calcification, and plant quality. *Ecology* 75(6): 1714-1726.
- ◆ Hazelton, P.A. and Tille, P.J. (1990) *Soil Landscapes of the Wollongong-Port Hacking 1:100 000 Sheet*. Soil Conservation Service of NSW, Sydney.
- ◆ Heddle, E.M. and Specht, R.L. (1975) Dark Island Heath (Ninety-Mile Plain, South Australia). VIII – The effect of Fertilizers on Composition and Growth, 1950-1972.
- ◆ Heichell, G.H. and Turner, N.C. (1983) CO₂ assimilation of primary and regrowth foliage of red maple (*Acer rubrum* L.) and red oak (*Quercus rubra* L.): response to defoliation. *Oecologia* 57(1-2): 14 –19.
- ◆ Hendrix, S.D. (1979) Compensatory reproduction in a biennial herb following insect defloration. *Oecologia* (Berl.) 42: 107-118.
- ◆ Hendrix, S.D. (1984) Reactions of *Heracleum lanatum* to floral herbivory by *Depressaria pastinacella*. *Ecology* 65: 191-197.
- ◆ Herms, D.A. and Mattson, W.J. (1992) The dilemma of plants: To grow or defend. *Quarterly Review of Biology* 67(3): 283-335.
- ◆ Hochuli, D.F. (1996) The ecology of plant/insect interactions: implications of digestive strategy for feeding by phytophagous insects. *Oikos* 75(1): 133-140.
- ◆ Hoffman, G.D. and McEvoy, P.B. (1985) The mechanism of trichome resistance in *Anaphalis margaritacea* to the meadow spittlebug *Philaenus spumarius*. *Entomologia Experimentalis et Applicata* 39: 123-129.
- ◆ Hopkins, W.G. (1995) *Introduction to Plant Physiology*. John Wiley and Sons Inc. Canada.
- ◆ Houghton, P.J. and Raman, A. (1998) Laboratory Handbook for the Fractionation of Natural Extracts. Chapman & Hall. London. pp 155, 184-185; 158.
- ◆ Hulley, P.E. (1988) Caterpillar attacks plant mechanical defense by mowing trichomes before feeding. *Ecological Entomology* 13: 239-241.
- ◆ Iddles, T.L., Read, J. and Sanson, G.D. (2003) The potential contribution of biomechanical properties to anti-herbivore defence in seedlings of six Australian rainforest trees. *Australian Journal of Botany* 51: 119-128.

- ◆ Inouye, D.W. (1982) The consequences of herbivory: a mixed blessing for *Jurinea mollis* (Asteraceae). *Oikos* 39: 269-272.
- ◆ Itioka, T and Yamauti, M. (2004) Severe drought, leafing phenology, leaf damage and lepidopteran abundance in the canopy of a Bornean aseasonal tropical rain forest. *Journal of Tropical Ecology* 20:479-482.
- ◆ Jackson, R.V., Kollmann, J., Grubb, P.J. and Bee, J.N. (1999) Insect herbivory on European tall-shrub species: the need to distinguish leaves before and after unfolding or unrolling, and the advantage of longitudinal sampling. *Oikos* 87: 561-570.
- ◆ Janzen, D.H. (1973) Sweep samples of tropical foliage insects: effects of seasons, vegetation types, elevation, time of day, and insularity. *Ecology* 54(3): 687-701.
- ◆ Janzen, D.H. (1974) Tropical Blackwater Rivers, Animals and Mast Fruiting by the Dipterocarpaceae. *Biotropica* 6(2): 69-103.
- ◆ Janzen, D.H. and Schoener, T.W. (1967) Differences in insect abundance and diversity between wetter and drier sites during a tropical dry season. *Ecology* 49(1): 96-110.
- ◆ Jermy, T, (1976) Insect host plant relationships – coevolution or sequential evolution? *Symposia Biologica Hungarica* 16: 109-113.
- ◆ Jing, S.W. and Coley, P.D. (1990) Dioecy and herbivory: the effect of growth rate on plant defense in *Acer negundo*. *OIKOS* 58: 369-377.
- ◆ Jones, D.A., Keymer, R.J. and Ellis, W.M. (1978) Cyanogenesis in Plants and Animal Feeding in J.B. Harborne, *Biochemical aspects of plant and animal coevolution*. Proceedings of the Phytochemical Society Symposium Reading. Academic Press, London.
- ◆ Jones, C.G. and Lawton, J.H. (1991) Plant chemistry and insect species richness of British Umberlifers. *Journal of Animal Ecology* 60: 767-777.
- ◆ Journet, A.R.P. (1980) Intraspecific variation in food plant favourability to phytophagous insects: psyllids on *Eucalyptus blakelyi* M. *Ecological Entomology* 5: 249-261.
- ◆ Journet, A.R.P. (1981) Insect herbivory on the Australian woodland eucalypt, *Eucalyptus blakelyi* M. *Australian Journal of Ecology* 6: 135-138.

- ◆ Keith, D. and Pellow, B. (2005) Effects of Javan rusa deer (*Cervus timorensis*) on native plant species in the Jibbon-Bundeena area, Royal National Park, New South Wales. *Proceedings of the Linnean Society of NSW* 126: 99-110.
- ◆ Koricheva, J. (2002) The Carbon-Nutrient Balance Hypothesis is dead; long live the carbon-nutrient balance hypothesis? *OIKOS* 98 (3): 537-539.
- ◆ Krischik, V.A. and Denno, R.F. (1983) Individual, population and geographic patterns in plant defence. In Denno, R.F. and McLure, M.S. (eds) *Variable Plants and Herbivores in Natural and Managed Systems*. Academic Press, pp. 463-512.
- ◆ Kulmon, H.M. (1971) Effects of insect defoliation on growth and mortality of trees. *Annual Review of Entomology* 16: 289-324.
- ◆ Kursar, T.A. and Coley, P.D. (1991) Nitrogen content and expansion rate of young leaves of rain forest species: implications for herbivory. *Biotropica* 23(2): 141-150.
- ◆ Kursar, T.A. and Coley, P.D. (1992) Delayed greening in tropical leaves: An antiherbivore defense? *Biotropica* 24(2b): 256-262.
- ◆ Lamont, B.B. (1993) Why are hairy root clusters so abundant in the most nutrient-impooverished soils of Australia? *Plant and Soil* 155-156(1):269-272.
- ◆ Landsberg, J. (1988) Dieback of rural eucalypts: Tree phenology and damage caused by leaf-feeding insects. *Australian Journal of Ecology* 13: 251-267.
- ◆ Landsberg, J. and Cork, S.J. (1997) Herbivory: interactions between eucalypts and the vertebrates and invertebrates that feed on them. In Williams, J.E. and Woinarski, J.C.Z. (eds) *Eucalypt Ecology: Individuals to Ecosystems*. Cambridge University Press, pp 342-372.
- ◆ Landsberg, J. and Gillieson, D.S. (1995) Regional and local variation in insect herbivory, vegetation and soils of eucalypt associations in contrasted landscape positions along a climate gradient. *Australian Journal of Ecology* 20: 299-315.
- ◆ Landsberg, J. and Ohmart, C. (1989) Levels of insect defoliation in forests: patterns and concepts. *TREE* 4(4): 96-100.
- ◆ Landsberg, J. and Wylie, F.R. (1983) Water stress, leaf nutrients and defoliation: a model of dieback of rural eucalypts. *Australian Journal of Ecology* 8: 27-41.

- ◆ Lawrence, J.F. and Britton, E.B. (1991) Coleoptera in *The Insects of Australia: A textbook for students and research workers* Vol 2 (eds CSIRO) pp. 543-683. Melbourne University Press, Melbourne.
- ◆ Lawton, J.H. (1983) Plant architecture and the diversity of phytophagous insects. *Annual Review of Entomology* 28: 23-39.
- ◆ Lawton, J.H. (1978) Host-plant influences on insect diversity: the effects of space and time in *Diversity of Insect Faunas* (eds.) Mound, L.A. and Waloff, N. The Royal Entomological Society. Blackwell Scientific Publications pp. 105-125.
- ◆ Lawton, J.H. and Schroder, D. (1977) Effects on plant type, size of geographic range and taxonomic isolation on number of insect species associated with British plants. *Nature* 265: 137-140.
- ◆ Lerdaу, M. and Coley, P.D. (2002) Benefits of the Carbon-Nutrient Balance Hypothesis. *OIKOS* 98(3): 534-536.
- ◆ Levin, D.A. (1973) The role of trichomes in plant defense. *Quarterly Review of Biology* 48: 3-15.
- ◆ Levin, D.A. (1976) Alkaloid-Bearing Plants: An Ecogeographic Perspective. *The American Naturalist* 110(972): 261-284.
- ◆ Levin, D.A. and York, B.M. (1978) The toxicity of plant alkaloids: an ecogeographic perspective. *Biochemical Systematics and Ecology* 6: 61-76.
- ◆ Lieberman, D. and Lieberman, M. (1984) The causes and consequences of synchronous flushing in a dry tropical forest. *Biotropica* 16(3): 193-201.
- ◆ Lightfoot, D.C. and Whitford W.G. (1987) Variation in insect densities on desert creosotebush: Is Nitrogen a factor? *Ecology* 68(3): 547-557
- ◆ Lincoln, D. E. and Couvet, D. (1989) The effect of carbon supply on allocation to allelochemicals and caterpillar consumption of peppermint. *Oecologia* 78(1): 112 – 114.
- ◆ Louda, S.M. (1983) Seed predation and seedling mortality in the recruitment of a shrub, *Haplopappus venetus* (Asteraceae), along a climatic gradient. *Ecology* 64: 511-521.
- ◆ Louda, S.M. (1984) Herbivore effect on stature, fruiting and leaf dynamics of a native crucifer. *Ecology* 65: 1379-1386.

- ◆ Louda, S.M., Dixon, P.M. and Huntly, N.J. (1987) Herbivory in sun versus shade at a natural meadow-woodland ecotone in the Rocky Mountains. *Vegetatio* 72: 141-149.
- ◆ Lowman, M.D. (1982) Seasonal variation in insect abundance among three Australian rain forests, with particular reference to phytophagous types. *Australian Journal of Ecology* 7: 353-361.
- ◆ Lowman, M.D. (1985) Temporal and spatial variability in insect grazing of the canopies of five Australian rainforest tree species. *Australian Journal of Ecology* 10: 7-24.
- ◆ Lowman, MD (1987) Relationships between leaf growth and holes caused by herbivores. *Australian Journal of Ecology* 12: 187-191.
- ◆ Lowman, M.D. (1992a) Herbivory in Australian Rain Forests, with Particular Reference to the Canopies of *Doryphora sassafras* (Monimiaceae). *Biotropica* 24(2b): 263-272.
- ◆ Lowman, M.D. (1992b) Leaf growth dynamics and herbivory in five species of Australian rain-forest canopy trees. *Journal of Ecology* 80: 433 - 447.
- ◆ Lowman, M.D. and Box, J.D. (1983) Variation in leaf toughness and phenolic content among five species of Australian rain forest trees. *Australian Journal of Ecology* 8: 17-25.
- ◆ Lowman, M.D. and Heatwole, H. (1992) Spatial and temporal variability in defoliation of Australian Eucalypts. *Ecology* 73(1): 129 -142.
- ◆ Lucas, P.W. and Pereira, B. (1990) Estimation of the fracture toughness of leaves. *Functional Ecology* 4: 819-822.
- ◆ Lucas, P.W., Turner, I.M., Dominy, N.J. and Yamashita, N. (2000) Mechanical defences to herbivory. *Annals of Botany* 86: 913 - 920.
- ◆ Macauley, B.J. and Fox, L.R. (1980) Variation in total phenols and condensed tannins in *Eucalyptus*: leaf phenology and insect grazing. *Australian Journal of Ecology* 5:31-35.
- ◆ MacLean, L. and Jensen, T.S. (1985) Food plant selection by insect herbivores in Alaskan arctic tundra: the role of plant life form. *Oikos* 44: 211-221.
- ◆ Macquarie Library Pty Ltd (1995) *The Macquarie World Atlas*. Macquarie Library Pty Ltd.

- ◆ Maiorana, V.C. (1981) Herbivory in sun and shade. *Biological Journal of the Linnean Society* 15: 151 - 156.
- ◆ Majer, J.D., Recher, H.F. and Ganeshanandam, S. (1992) Variation in foliar nutrients in *Eucalyptus* trees in eastern and Western Australia. *Australian Journal of Ecology* 17: 383-393.
- ◆ Marquis, R.J. (1984) Leaf herbivores decrease fitness of a tropical plant. *Science* 226: 537 - 539.
- ◆ Marquis, R.J. (1996) Plant architecture, sectorality and plant tolerance to herbivores. *Vegetatio* 127: 85 -1996.
- ◆ Martin, J. H., Coale, K. H., Johnson, K. S., Fitzwater, S. E., Gordon, R. M., Tanner, S. J., Hunter, C. N. etc (2002) Testing the iron hypothesis in ecosystems of the equatorial Pacific Ocean. *Nature* 371: 123-129.
- ◆ Maschinski, J. and Whitham, T.G. (1989) The continuum of plant responses to herbivory the influence of plant association, nutrient availability, and timing. *The American Naturalist* 134(1): 1 - 19.
- ◆ Matsuki, M. and MacLean, Jr., S.F. (1994) Effects of different leaf traits on growth rates of insect herbivores on willows. *Oecologia* 100(1-2): 141-152.
- ◆ Mattson, W.J. and Addy, N.D. (1975) Phytophagous insects as regulators of forest primary production. *Science* 191: 515 – 522.
- ◆ Mattson, W.J. (1980) Herbivory in relation to plant nitrogen content. *Annual Review of Ecology and Systematics* 11: 119 - 161.
- ◆ Mattson, W.J. and Haack, R.A. (1987) The role of drought in outbreaks of plant-eating insects. *BioScience* 37(2): 110 - 118.
- ◆ McKey, D. (1974) Adaptive patterns in alkaloid physiology. *The American Naturalist* 108(961): 305 - 320.
- ◆ McNaughton, S.J. (1979) Grazing as an optimization process: grass-ungulate relationships in the Serengeti. *The American Naturalist* 113: 691 - 703.
- ◆ McNaughton, S.J. (1983) Compensatory plant growth as a response to herbivory. *Oikos* (Copenhagen) 40: 329 - 336.
- ◆ McNaughton, S.J. (1986) On plants and herbivores. *The American Naturalist* 128(5): 765 - 770.

- ◆ McNaughton, S.J. and Chapin, F.S. (1985) Effects of Phosphorus Nutrition and Defoliation on C4 Graminoids from the Serengeti Plains. *Ecology* 66(5): 1617-1629.
- ◆ McNaughton, S.J., Wallace, L.L and Coughenour, M.B. (1983) Plant adaptation in an ecosystem context: effects of defoliation, nitrogen, and water on growth of an African C4 sedge. *Ecology* 64(2): 307 - 318.
- ◆ McNeill, S. and Southwood, T.R.E. (1979) The role of nitrogen in the development of insect/plant relationships in J.B. Harborne (ed.) *Biochemical aspects of plant and animal coevolution*. Phytochemical and Chemical Society European Symposium Series 15: 115 - 146.
- ◆ Mello, M.O. and Silva-Filho, M.C (2002) Plant-insect interactions: an evolutionary arms race between two distinct defense mechanisms. *Brazilian Journal of Plant Physiology* 14(2): 1-14.
- ◆ Mendoza, A., Pinero, D., and Sarukhan, J. (1987) Effects of experimental defoliation on growth, reproduction and survival of *Astrocaryum mexicanum*. *Journal of Ecology* 75: 545 – 554.
- ◆ Meyer, G.A. and Root, R.B. (1993) Effects of herbivorous insects and soil fertility on reproduction of Goldenrod. *Ecology* 74(4): 1117 - 1128.
- ◆ Miller, C.J. and Miller, T.K. (1995) Population dynamics and diet of rodents on Rangitoto Island, New Zealand, including the effect of a 1080 poison operation. *New Zealand Journal of Ecology* 19: 19-27.
- ◆ Miller, R.M. (2005) The nonmycorrhizal root – a strategy for survival in nutrient-impoveryished soils. *New Phytologist* 165: 655-658.
- ◆ Milton, K. (1979) Factors influencing leaf choice by Howler monkeys: a test of some hypotheses of food selection by generalist herbivores. *The American Naturalist* 114(3): 362 - 378.
- ◆ Moles, A.T. and Westoby, M (2000) Do small leaves expand faster than large leaves, and do shorter expansion times reduce herbivore damage? *OIKOS* (Copenhagen) 90: 517 - 524.
- ◆ Moles, A.T. and Westoby, M.W. (2003) Leaf expansion times: a response to sun. *OIKOS* 100: 202.
- ◆ Morrow, P.A. and LaMarch, V.C. (1978) Tree ring evidence for chronic insect suppression of productivity in sub-alpine *Eucalyptus*. *Science* 201: 1244 -1246.

- ◆ Mutikainen, P., Walls, M. and Ojala, A. (1993) Effects of simulated herbivory on tillering and reproduction in an annual ryegrass, *Lolium remotum*. *Oecologia* 95(1): 54 - 60.
- ◆ Nadkarni, N.M. (1994) Diversity of species and interactions in the upper tree canopy of forest ecosystems. *American Zoology* 34: 70-78.
- ◆ Neuvonen, S. and Haukioja, E. (1984) Low nutritive quality as defence against herbivores: induced responses in birch. *Oecologia* 63: 71 - 74.
- ◆ Nishida, R. (2002) Sequestration of defensive substances from plants by Lepidoptera. *Annual Review of Entomology* 47: 57 - 92.
- ◆ Nitao, J.K., Zangerl, A.R. and Berenbaum, M.R. (2002) CNB: requiescat in pace? *OIKOS* 98(3): 540-545.
- ◆ NSW National Parks and Wildlife Service (2000) *Royal National Park, Heathcote National Park and Garawarra State Recreation Area Plan of Management*. NSW National Parks and Wildlife Service Sydney.
- ◆ NSW National Parks and Wildlife Service (2002a) *Ku-ring-gai Chase National Park and Lion Island, Long Island and Spectacle Island Nature Reserves: Plan of Management*. NSW National Parks and Wildlife Service.
- ◆ NSW National Parks and Wildlife Service (2002b) *Draft Fire Management Plan: Royal National Park, Heathcote National Park and Garawarra State Recreation Area*. Vol.1. NSW National Parks and Wildlife Service.
- ◆ Ohmart, C.P. (1984) Is insect defoliation in eucalypt forests greater than that in other temperate forests?. *Australian Journal of Ecology* 9: 413-418.
- ◆ Ohmart, C.P., Stewart, L.G., and Thomas, J.R. (1983) Phytophagous insect communities in the canopies of three *Eucalyptus* forest types in south-eastern Australia. *Australian Journal of Ecology* 8: 395-403.
- ◆ Ohmart, C.P., Stewart, L.G., and Thomas, J.R. (1985) Effects of nitrogen concentrations of *Eucalyptus blakelyi* foliage on the fecundity of *Paropsis atomaria* (Coleoptera: Chrysomelidae). *Oecologia* 68: 41-44.
- ◆ Oghiakhe S., Jackai, L.E.N., Makanjuola, W.A. and Hodgson, C.J. (1992) Morphology, distribution, and the role of trichomes in cowpea (*Vigna unguiculata*) resistance to the legume pod borer, *Maruca testulalis* (Lepidoptera: Pyralidae). *Bulletin of Entomological Research* 82: 499-505.

- ◆ Owen, D.F. and Wiegert, R.G. (1976) Do consumers maximise plant fitness? *Oikos* 27: 488-492.
- ◆ Paige, K.N. and Whitham, R.G. (1987a) Overcompensation in response to mammalian herbivory: the advantage of being eaten. *The American Naturalist* 129(3): 407-416.
- ◆ Paige, K.N. and Whitham, R.G. (1987b) Flexible life history traits: Shifts by scarlet gilia in response to pollinator abundance. *Ecology* 68: 1691-1695.
- ◆ Parker, M.A. and Root, R.B. (1981) Insect herbivores limit habitat distribution of a native composite, *Machaeranthera canescens*. *Ecology* 62: 1390-1392.
- ◆ Peeters, P.J. (2001) Variation in the guild composition of herbivorous insect assemblages among co-occurring plant species. *Austral Ecology* 26: 385-399.
- ◆ Peeters, P.J. (2002a) Correlations between leaf structural traits and the densities of herbivorous insect guilds. *Biological Journal of the Linnean Society* 77: 43-65.
- ◆ Peeters, P.J. (2002b) Correlations between leaf constituent levels and the densities of herbivorous insect guilds in an Australian forest. *Austral Ecology* 27: 658-671.
- ◆ Perez-Harguindeguy, N., Diaz, S., Vendramini, F., Cornelissen, J., Diego, G. and Cabido, M. (2003) Leaf traits and herbivore selection in the field and in cafeteria experiments. *Austral Ecology* 28: 642-650.
- ◆ Pollard, A.J. (1986) Variation in *Cnidoscolus texanus* in relation to herbivory. *Oecologia* 70: 411-413.
- ◆ Pompermayer P., Lopes A.R., Terra W.R., Parra J.R.P., Falco M.C., Silva-Filho M.C. (2001) Effects of soybean proteinase inhibitor on development, survival and reproductive potential of the sugarcane borer, *Diatraea saccharalis*. *Entomologia Experimentalis et Applicata* 99: 79-85.
- ◆ Potter, D.A. and Kimmerer, T.W. (1988) Do holly leaf spines really deter herbivory?. *Oecologia* (Berlin) 75: 216-221.
- ◆ Price, P.W. Species interactions and the evolution of biodiversity. In Carlos Herrera and Olle Pellmyr (eds) *Plant-Animal Interactions An Evolutionary Approach*. Blackwell Publishing: 3-76.
- ◆ Prieto-Fernandez, A., Villar, M.C., Carballas, M. and Carballas, T. (1993) Short-term effects of a wildfire on the nitrogen status and its mineralization

kinetics in an Atlantic forest soil. *Soil Biology and Biochemistry* 25(12): 1657-1664.

- ◆ Progar, R.A. and Schowalter, T.D. (2002) Canopy arthropod assemblages along a precipitation and latitudinal gradient among Douglas-fir *Pseudotsuga menziesii* forests in the Pacific Northwest of the United States. *Ecography* 25: 129-138.
- ◆ Prokopy, R.J. and Owens, E.D. (1983) Visual detection of plants by herbivorous insects. *Annual Review of Entomology* 28: 337-364.
- ◆ Prins, A.H. and Nell, H.W. (1990) Positive and negative effects of herbivory on the population dynamics of *Senecio jacobaea* L. and *Cynoglossum officinale* L.. *Oecologia* 83: 325-332.
- ◆ Quinn, G. P., and Keough, M.J. (2002) *Experimental design and data analysis for biologists*. Cambridge University Press.
- ◆ Ramalho, F.S., Parrot, W.L., Jenkins, J.N. and McCarty, J.C. (1984) Effects of cotton leaf trichomes on the mobility of newly hatched tobacco budworms (Lepidoptera: Noctuidae). *Journal of Economic Entomology* 77: 619-621.
- ◆ Rambo, J.L. and Faeth, S.H. (1999) Effect of Vertebrate Grazing on Plant and Insect Community Structure. *Conservation Biology* 13(5): 1047-1054.
- ◆ Raupp, M.J. (1985) Effects of leaf toughness on mandibular wear of the leaf beetle *Plogiaodera versicolora*. *Ecological Entomology* 10: 73-79.
- ◆ Raupp, M.J. and Denno, R.F. (1983) Leaf Age as a Predictor of Herbivore Distribution and Abundance in *Variable plants and herbivores in natural and managed systems* (eds.) Denno, R.F. and McClure, M.S. Academic Press pp. 91-124.
- ◆ Ray, A. and Fitzherbert, S. (1996) *Ku-ring-gai Chase National Park*. Wentworth Press.
- ◆ Read, J., Gras, E., Sanson, G.D., Fiona, C. and Brunt, C. (2003) Does chemical defence decline more in developing leaves that become strong and tough at maturity? *Australian Journal of Botany* 51: 489-496.
- ◆ Recher, H.F., Majer, J.D. and Ganesh, S. (1996a) Eucalypts, arthropods and birds: on the relation between foliar nutrients and species richness. *Forest Ecology and Management* 85: 177-195.

- ◆ Recher, H.F., Majer, J.D. and Ganesh, S. (1996b) Seasonality of canopy invertebrate communities in eucalypt forests of eastern and western Australia. *Australian Journal of Ecology* 21: 64-80.
- ◆ Reich, P.B., Uhl, C., Walters, M.B. and Ellsworth, D.S. (1991) Leaf lifespan as a determinant of leaf structure and function among 23 amazonian tree species. *Oecologia* 86(1): 16-24.
- ◆ Rhoades, D.E. and Cates, R.G. (1976) A general Theory of Plant Antiherbivore Chemistry in J. Wallace and R.L. Mansell (eds.) *Biochemical interaction between plants and insects. Recent Advances in Phytochemistry* Vol.10. Plenum Press, New York, pp.168-213.
- ◆ Rhoades, D.E. (1979) Evolution of Plant Chemical Defense against Herbivores in Rosenthal, G.A. and Janzen, D.H. (eds) *Herbivores: Their interaction with secondary plant metabolites*. Academic Press. New York.
- ◆ Rieske, L.K (2002) Wildfire alters oak growth, foliar chemistry, and herbivory. . *Forest Ecology and Management* 168: 91-99.
- ◆ Rieske, L.K., Housman, H.H., Arthur, M.A. (2002) Effects of prescribed fire on canopy foliar chemistry and suitability for an insect herbivore. *Forest Ecology and Management* 160: 177-187.
- ◆ Robertson, A.L. and Duke, N.C. (1987) Insect herbivory on mangrove leaves in North Queensland. *Australian Journal of Ecology* 12: 1-7.
- ◆ Robbins, C.T., Mole, S., Hagerman, A.E. and Hanley, T.A. (1987) Role of tannins in defending plants against ruminants: reduction in dry matter digestion? *Ecology* 68(6):1606-1615.
- ◆ Rockwood, L. (1973) The effect of defoliation on seed production of six Costa Rican tree species. *Ecology* 54: 1363-1369.
- ◆ Rorison, I.H. (1968) The response to phosphorus of some ecologically distinct plant species: 1. Growth rates and phosphorus absorption. *New Phytology* 67: 913-923.
- ◆ Rosenthal, G.A. and Janzen, D.H. (1979) Herbivores: their interaction with secondary plant metabolites. Academic Press, New York, USA.
- ◆ Rothschild, M. (1973) Secondary plant substances and warning coloration in insects. Royal Entomological Society of London Symposium 6: 59-83.

- ◆ Ruess, R.W., McNaughton, S.J. and Coughenour, M.B. (1983) The effects of clipping, nitrogen source and nitrogen concentration on the growth responses and nitrogen uptake of an east african sedge. *Oecologia* (Berlin) 59: 253-261.
- ◆ Ruppert, E.E. and Barnes, R.D. (1991) *Invertebrate Zoology* Sixth edition. Saunders College Publishing.
- ◆ Sanson, G., Read, J., Aranwela, N., Clissold, F. and Peeters, P. (2001) Measurement of leaf biomechanical properties in studies of herbivory: Opportunities, problems and procedures. *Austral Ecology* 26: 535-546.
- ◆ Schmid, B., Miao, S.L. and Bazzaz, F.A. (1990) Effects of simulated root herbivory and fertilizer application on growth and biomass allocation in the clonal perennial *Solidago canadensis*. *Oecologia* 84: 9-15.
- ◆ Schulze, C.H., Linsenmair, K.E. and Fiedler, K. (2001) Understorey versus canopy: patterns of vertical stratification and diversity among Lepidoptera in a Bornean rain forest. *Plant Ecology* 153: 133-152.
- ◆ Shure, D.J. and Wilson, L.A. (1993) Patch-size effects on plant phenolics in successional openings of the southern Appalachians. *Ecology* 74(1): 55-67.
- ◆ Shuter, E. and Westoby, M. (1992) Herbivorous arthropods on bracken (*Pteridium aquilinum* (L.) Khun) in Australia compared with elsewhere. *Australian Journal of Ecology* 17: 329-339.
- ◆ Silva, C.P., Terra, W.R., Grossi de Sa, M.F. Samuels, R.I., Isejima, E.M., Bifano, T.D., Almeida, J.S. (2001) Induction of digestive α -amylases in larvae of *Zabrotes subfasciatus* (Coleoptera: Bruchidae) in response to ingestion of common bean α -amylase inhibitor 1. *Journal of Insect Physiology* 47: 1283-1290.
- ◆ Singer, F.J., Mark, L.C. and Cates, R.C. (1994) Ungulate herbivory of willows on Yellowstone's northern winter range. *Journal of Range Management* 47(6): 435-443.
- ◆ Skene, K.R. (1998) Cluster Roots: Some Ecological Considerations. *The Journal of Ecology* 86(6): 1060-1064.
- ◆ Smith, J (1992) *The Unique Continent: an introductory reader in Australian Environmental Studies*. University of Queensland Press.
- ◆ Smith, R.H. and Bass, M.H. 1972. Relation of artificial pod removal to soybean yields. *Journal of Economic Entomology* 65: 606-608.

- ◆ Specht, R.L. (1963) Dark Island Heath (Ninety-Mile Plain, South Australia) VII. The effect of fertilizers on composition and growth, 1950-60. *Australian Journal Botany* 11: 67-94.
- ◆ Stephens, S.G. and Lee, H.S. (1961) Further studies on the feeding and oviposition preferences of the boil weevil (*Anthonomus grandis*). *Journal of Economic Entomology* 54: 1085-1090.
- ◆ Stewart, A.J.A. (2001) The impact of deer on lowland invertebrates: a review of the evidence and priorities for future research. *Forestry* 74: 259-270.
- ◆ Stork, N.E. (1987) Guild structure of arthropods from Bornean rain forest trees. *Ecological Entomology* 12: 69-80.
- ◆ Stork, N.E. and Brendell, M.J.D. (1990) Variation in the insect fauna of Sulawesi trees with season, altitude and forest type. In W.J. Knight and J.D. Holloway (eds) *Insects and the Rainforests of South East Asia (Wallacea)*. Royal Entomological Society of London, London pp.173-190.
- ◆ Strahan, R. (ed) (1983) *The Australian Museums Complete book of Australian Mammals: The National Photographic Index of Australian Wildlife*. Angus and Robertson Publishers. Australia.
- ◆ Strong, D.R., Lawton, J.H. and Southwood, R. (1984) *Insects on plants: community patterns and mechanisms*. Blackwell Scientific Publications. London.
- ◆ Suzuki, S. and Kudo, G. (1997) Short-term effects of simulated environmental change on phenology, leaf traits, and shoot growth of alpine plants on a temperate mountain, northern Japan. *Global Change Biology* 3(1): 108-115.
- ◆ Terra, W.R., Valentin, A. and Santos, C.D. (1987) Utilization of sugars, hemicellulose, starch, protein, fat and minerals by *Erinnyis ello* larvae and the digestive role of their midgut hydrolases. *Insect Biochemistry* 17 (8):1143-1147.
- ◆ Thomson, V.P. and Leishman, M.R. (2005) Survival of native plants of Hawkesbury Sandstone communities with additional nutrients: effect of plant age and habitat. *Australian Journal of Botany* 52(2): 141-147.
- ◆ Trumble, J.T., Kolodny-Hirsch, D.M. and Ting, I.P. (1993) Plant compensation for arthropod herbivory. *Annual Review of Entomology* 38: 93 – 119.
- ◆ Turnipseed, S.G. (1972) Response of soybeans to foliage losses in South Carolina. *Journal of Economic Entomology* 65:224-229.

- ◆ Vieira, E.M., Andrade, I., Price, P.W. (1996) Fire effects on a *Palicourea rigida* (Rubiaceae) Gall Midge: A Test of the Plant Vigor Hypothesis. *Biotropica* 28(2): 210-217.
- ◆ Wagner, M.R., Frantz, D.P. (1990) Influence of induced water stress in ponderosa pine on pine sawflies. *Oecologia* 83: 452-457.
- ◆ Waterman, P.G. and Mole, S. (1994) *Methods in Ecology: Analysis of Phenolic Plant Metabolites*. Blackwell Scientific Publications.
- ◆ Walde, S.J. (1995) How quality of host plant affects a predator-prey interaction in biological control. *Ecology* 74(4): 1206-1219.
- ◆ Waring, R.H. and Cobb, N.S. (1992) The impact of plant stress on herbivore population dynamics. In: E.A. Bernays (ed.) *Insect-Plant Interactions*, Vol. 4. CRC Press, Boca Raton, FL, pp. 167-226.
- ◆ Waring, R.H., McDonald, A.J.S., Larsson, S. et al. (1985) Differences in chemical composition of plants grown at constant relative growth rates with stable mineral nutrition. *Oecologia* 66: 157-160.
- ◆ Webster, J.A., Gage, S.H. and Smith, D.H. (1973) Suppression of the cereal leaf beetle with resistant wheat. *Journal of Environmental Entomology* 2: 1089-1091.
- ◆ Weinig C., Gravuer K.A., Kane, N.C. and Schmitt J. (2004) Testing adaptive plasticity to UV: costs and benefits of stem elongation and light-induced phenolics. *Evolution* 58(12): 2645-2656.
- ◆ White, M.E. (1992) Evolution of an Australian Flora. In Smith, J (ed) *The Unique Continent: An Introductory Reader in Australian Environmental Studies*: 59-69.
- ◆ White, M.E. (1994) *After the Greening: the browning of Australia*. Kangaroo Press.
- ◆ White, T.C.R. (1969) An index to measure weather-induced stress of trees associated with outbreaks of psyllids in Australia. *Ecology* 50: 905-909.
- ◆ White, T.C.R. (1984) The abundance of invertebrate herbivores in relation to the availability of nitrogen in stressed food plants. *Oecologia* 63: 90-105.
- ◆ Whitham, T.G. and Mopper, J.M. (1985) Chronic herbivory: impacts on architecture and sex expression of pinyon pine. *Science* 228: 1089-1091.
- ◆ Whitham, T.G., Maschinski, J., Larson, K.C. and Paige, K.N. (1991) Plant responses to herbivory: the continuum from negative to positive and underlying

physiological mechanisms in *Plant-Animal Interactions: Evolutionary Ecology in Tropical and Temperate Regions*. Wiley-interscience publication. Pages 227-256.

- ◆ Willis, A.J., Ash, J.E. and Groves, R.H. (1993) Combined effects of two arthropod herbivores and water stress on growth of *Hypericum* species. *Australian Journal of Botany* 45(6): 1009 – 1022.
- ◆ Wilson, D.J., Lee, W.G., Webster, R.A. and Allen, R.B. (2003) Effects of possums and rats on seedling establishment at two forest sites in New Zealand. *New Zealand Journal of Ecology* 27(2): 147-155.
- ◆ Winn, A.A. (1999) Is seasonal variation in leaf traits adaptive for the annual plant *Dicerandra linearifolia*? *Journal of Evolutionary Biology* 12(2): 306-313.
- ◆ Wint, G.R.W. (1983) The effects of foliar nutrients upon the growth and feeding of a lepidopteran larva. In Lee, J.A., McNeil, S., Rorison, I.H. (eds) *Nitrogen as an ecological factor*. Blackwell, Oxford, pp 301-320.
- ◆ Woinarski, J.C.Z and Cullen, J.M. (1984) Distribution of invertebrates on foliage in forests of south-eastern Australia. *Australian Journal of Ecology* 9: 207-232.
- ◆ Wright, I.J. and Cannon, K. (2001) Relationships between leaf lifespan and structural defences in a low-nutrient, sclerophyll flora. *Functional Ecology* 15: 351-359.
- ◆ Wright, I.J., Reich, P.B. and Westoby, M. (2001) Strategy shifts in leaf physiology, structure and nutrient content between species of high- and low-rainfall and high-and low-nutrient habitats. *Functional Ecology* 15: 423-434.
- ◆ Wright, I.J., Westoby, M. and Reich, P.B. (2002) Convergence towards higher leaf mass per area in dry and nutrient-poor habitats has different consequences for leaf life span. *Journal of Ecology* 90: 534-543.
- ◆ Wrigley, J.W. and Fagg, M. (2000) *Banksias, Waratahs and Grevilleas and all other plants in the Australian Proteaceae family*. Collins Publishers. Australia.
- ◆ Yates, J.L. and Peckol, P. (1993) Effects of nutrient availability and herbivory on polyphenolics in the seaweed *Fucus vesiculosus*. *Ecology* 74(6): 1757-1766.
- ◆ Zamora, R., Hódar, J.A., and Gómez, J.M. (1999) Plant-Herbivore Interaction: Beyond a Binary Vision in Pugnaire, F.I. and Valladares, F. (eds) *Handbook of Functional Plant Ecology*. Marcel Dekker Inc. New York. pp. 677- 718.